

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.:07192005

DATE : July 20, 2005

TO SPE OF : ART UNIT 1652

SUBJECT : Request for Certificate of Correction on Patent No.: 6,806,076 B1

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

**Certificates of Correction Branch - PK 3-910**

Palm location 7590 - Tel. No. 305-8201

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments:




SPE: Ponnathapu Achutamurthy Art Unit 1652



Patentee undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Lawrence S. Perry", written over a horizontal line.

Lawrence S. Perry  
Attorney for Patentee  
Registration No. 31,865

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

LSPlac

NY\_MAIN 472074v1

JAN 31 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,806,076 B1

DATED : October 19, 2004

INVENTOR(S) : Koichiro Miyake, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE (75) INVENTORS:

Line 7, "Chiga" should read --Chiba--

COLUMN 89

Line 59, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 90

Line 58, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 91

Line 3, "SEQ ID NO:30" should read --SEQ ID NO:30--

Line 10, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 20, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 21, "C." should read --C.--

Line 22, "C." should read --C--

COLUMN 92

Line 2, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 3, "C." should read --C.--

Line 5, "C." should read --C--

Line 18, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 19, "C." should read --C.--

Line 20, "C." should read --C--

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

(Form#30)

PATENT NO. 6,806,076

No. of add'l. copies  
@ 30¢ per page



JAN 31 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,806,076 B1

DATED : October 19, 2004

INVENTOR(S) : Koichiro Miyake, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE (75) INVENTORS:

Line 7, "Chiga" should read --Chiba--

COLUMN 89

Line 59, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 90

Line 58, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 91

Line 3, "SEQ ID NO:30" should read --SEQ ID NO:30--

Line 10, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 20, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 21, "C." should read --C,--

Line 22, "C." should read --C--

COLUMN 92

Line 2, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 3, "C." should read --C,--

Line 5, "C." should read --C--

Line 18, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 19, "C." should read --C,--

Line 20, "C." should read --C--

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

(Form#30)

PATENT NO. 6,806,076  
No. of add'l. copies  
@ 30¢ per page



JAN 31 2005